





	Date	Customer code C		
	Invoice address	Contact person		
	F	Reference		
HELDER		Other delivery address		
9	Invoice address = delivery address	Quote		
	The chair will be used as seat for car t	ransport.		
	Ва	asic price: 2.975,- € Excl. VAT		
Seat width:	CED (long seat depth/capacity 160 kg) Seat depth adjustable from 425-500 mm D65035	CEDS (short seat depth/capacity 130 kg) Seat depth adjustable from 375-450 mm D65035S		
	■425 □ 450 □ 475 □ 500	□ 375 □ 400 ■ 425 □ 450		
	D65043	Seat height See page 9 Seat depth Adjustable in 25 mm steps		
	Seat depth adjustment D28002 59,- ☐ 425 ☐ 450 ■ 475 ☐ 500			
D2	9488 Arm support comfort pads (red	uces SW with 2 x 15 mm) 139,-		
D8	3937 SW extension kit mounted 2 x 1	2 mm – only for SW 350-450 mm 150,-		
= Standard equip	ment			
Quick order		only page 1 is send		
Item nr.	Description	Price in €		
Standard	Head support A, with side support	0,-		
D27574	Head support B, small, oval	0,-		
D27573	Head support C, large, square	0,-		
D22085	Drum brakes (brake handles mount	ted on push bow) 229,-		
D25059	Universal tray	195,-		
D21052	Upholstery for tray	113,-		
D20845	Hip belt, with upholstery and car be	elt lock 107,-		







D21022	Easy Care	cover (not available fo	r Netti Sit °C or Ride cushion)	0	
D21075	than 185 c		car transportation for users higher 00 mm, 500 mm vertical tube and	597,	
IAMIC KIT				Price in €	
D82500 🗖	Dynamic kit inc	cluding		4247,-	
	- free choice of	f back cylinder 15° or 4	.0°		
THAMIC 4CC	- frame extens	ion and longer antitipp	pers with pedal		
	- Bodypoint pe	lvic stabilizer EVOFLEX			
भू ं इत	- Netti Dynami	c leg rest DUAL 100N i	ncl. calf supports and footboard		
BACK OPTION 1A:		ack flexibility (not appro 120N 🗖 160N	oved for car transport)		
BACK OPTION 1B:	locked in any p	osition as the dynamic	ne standard back recline can be c movement is blocked priate during transport or		
	☐ 200N	☐ 600N	☐ 1000N		
	☐ 300N	☐ 700N	☐ 1100N		
	☐ 400N	□ 800N	☐ 1200N		
	□ 500N	☐ 900N	☐ 1300N		
BELT	Bodypoint pelv Size XS □	vic stabilizer EVOFLEX 2	2-point belt:		
OPTION:					
		the foot support soluti			
LEG REST			ver leg length 450-550 mm)		
OPTION:	☐ Adjustment	piece 214 mm (for low	ver leg length 350-450 mm)		
	Or with adapte	er for adjustment of dif	fferent thigh length:		
		piece 300 mm (for low	ver leg length 450-550 mm)		

FRAME

Standard	Angle adjustable push bow	0,-
Standard	Anti tip, swingable	0,-
Standard	User brake	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	159,-
D21755	Push handles 300 mm, height adjustable and swingable (please note:	219,-







	Chable joy of life	BY ALU
	the armrests will then not be revolvable)	
D28972	Anti tip with pedal, pair	186,
D29474	Tilt-restrictor (no negative tilt frontwards)	41,
D41074	Car fastening, pair	158,
D28001	Frame extension including longer antitippers	275,
ACK UNIT (for be	elts please see page 6)	
Standard	Back cushion Netti Uno – with 100 mm side support with 3D cover	0,
Standard	Back height 500 mm (incl. adjustable velcro back)	0,
D41006	Back height 600 mm (incl. back extender + longer Netti Smart cushion as standard)	294,
D44992	Adjustable velcro with cut for side supports	236,
D21338	Back cushion Netti Smart – with 120 mm side support – 3D cover	306,
D27374	Side support Correction left – for Netti Uno and Smart	193,
D27375	Side support Correction right – for Netti Uno and Smart	193,
D27542	Side support upholstery Correction, pair	98,
D21333	Back cushion Netti Stabil – with 170 mm side support - 3D cover	497,
D21334	Back cushion Netti Super Stabil – with 170 mm reinforced side	579,
D20620 F	support - 3D cover	667
D20630	Back cushion Netti Kyphotic - 3D/Mars cover - only back height 500 mm	667,
	Ride Designs Back solution (See separate order form) Article number: / Accessories:	
D26831	Side support Stable left - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	219,
D26844	Side support Stable right - for Netti Stabil, Super Stabil & Kyphotic (please note: the armrests will then not be revolvable)	219,
D27541	Side support upholstery Stable, pair	134
D27700	Firm back in aluminium, back height 500 mm	332,
D27701	Firm back in aluminium, back height 600 mm, incl. D41006	696
D21084	Back wedge	164,
D21042	Lumbar support	164,
	Netti Dynamic FREE back spring	Price o
AMIC 4C		reque
7 H	Allows up to 40° trunk movements backwards. The standard back recline	
8	can be locked in any position as the dynamic movement is blocked	
	simultaneously, which can be appropriate during transport or	
1 5"	positioning. Incl. frame extension D28001 and Bodypoint Evoflex pelvic	
	stabilizer 2-point belt:	
	Size XS M L	
	For more information and choice of gas spring, feel free to contact us or	
	have a lead, at a convenience of a confirmed with a theorems to confirm out of	

have a look at our website. If combined with other options, please send







us a request as some solutions are only possible as special adaptations.	
D82226 200N	
D87903 Recline limiter (possible to limit in different positions from 116° - 134°) for the Netti Dynamic Free back spring (to be mounted by the dealer)	30,-
Libertas 15° back flexibility incl. long anti tips and frame extender (not for transport in car) D82411 80N D82412 120N D82413 160N	Price on request







NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please see separate order form.

SEAT UNIT (for belts please see page 6)

	•		
Standard		Seat cushion Netti Uno – 3D cover	0,-
D21048		Incontinence cover for seat cushion	212,-
D21007		Pressure relief seat cushion Netti SIT – 3D cover incl. incontinence layer	356,-
D21017		Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	497,-
		Ride Designs Seat cushion (See separate order form) Article number: / Accessories:	
D27493		Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-
D27494		Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-
D27495		Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-

LEG SUPPORTS

For the Netti 4U CED you have 5 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle adjustable leg supports

Standard

■ Manually angle adjustable leg supports with

0,-

- P.
- -automatic length adjustment
- -angle adjustable foot plates
- -calf supports and knee upholstery







D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	80,-
		Bodypoint ankle huggers with upholstery	
		D44863 S (L: 170-200 mm)	213,-
		D44864 M (L: 190-230 mm)	213,-
1715		D44865 L (L: 220-290 mm)	223,-
. 4		D44904 XL (L: 280-330 mm)	244,-
D80087		Depth adjustable hinge for footplates (50 mm in all) – mounted	444,-
D21008		Gas spring for angle adjustment	878,-
D21081		Extra Abduction (+50 mm), not for SW 430 mm – adjustment of calfsupports is limited	380,-
D20828		Amputation support left (amputation support on both sides only together with frame extension D28001)	356,-
D20827		Amputation support right (amputation support on both sides only together with frame extension D28001)	356,-
D21044		Foot board, adjustable	287,-
D21041		Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	459,-
D21745		Calf support bracket upholstery - pair - skai cover	49,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D28453		Foot plate upholstery - pair - skai cover	269,-
D86900		Bodypoint calf strap M	162,-
D86901		Bodypoint calf strap L	162,-
Universal leg suppo	rts		
D24005		Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	117,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		D44863 S (L: 170-200 mm)	213,-
		D44864 M (L: 190-230 mm)	213,-
4 મુ વ		D44865 L (L: 220-290 mm)	223,-
		D44904 XL (L: 280-330 mm)	244,-
D80087		Depth adjustable hinge for footplates (50 mm in all) – mounted	444,-
D21044		Foot board, adjustable	287,-
D21041		Foot box upholstered (not approved for car transport, if this is needed please use the Netti Grandis solution which is approved)	459,-
D86900		Bodypoint calf strap M	162,-







	Netti Grandis angle adjustable positioning leg supports for complex	987,	
	individual configurations. Reduces pressure and shear forces. For		
	users with e.g. contractions, leg asymmetry, elephantiasis.		
	The foot support is characterized by unique ergonomics and user-		
	friendliness due to lifting handles, scale displays and conical		
	,		
		376,	
	calf supports will be limited	370,	
D88611			
D88610		453,	
D88602			
D88607			
	Calf support bracket upholstery - pair - skai cover		
	Angle limiter (for limitation of angle upwards) – mounted		
	Foot fixation, pair incl. mounting kit		
	Foot board, lockable and upwards swingable		
	Footbox, upholstered with Skai cover (approved for car transport)		
	Calf strap	79	
	Bodypoint calf strap M	162	
	Bodypoint calf strap L	162	
ppor	<u>-</u>		
		987	
	configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry.		
	The foot support is characterized by unique ergonomics and user-		
	friendliness due to scale displays and conical extension pieces.		
	Adjustable in a fixed angle – also below 90°. Including heel strap.		
	Extra Abduction (+50 mm), not for SW 430 mm	376	
	· · · · · · · · · · · · · · · · · · ·	347	
	Footbox, upholstered with Skai cover (approved for car transport)	654	
adjı	ustable leg supports		
		Price o	
	Netti Dynamic angle adjustable leg rests DUAL with calf supports		
_	and footboard, 100N. Standard adjustment piece 300 mm (lower leg length 450-550 mm)	reque	
		individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry, elephantiasis. The foot support is characterized by unique ergonomics and user-friendliness due to lifting handles, scale displays and conical extension pieces. Angle adjustable incl. angle limiter and adjustable calf- and foot supports. Extra Abduction (+50 mm), not for SW 430 mm - adjustment of the calf supports will be limited Amputation support left (amputation support on both sides only together with frame extension D28001) Amputation support right (amputation support on both sides only together with frame extension D28001) Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair Knee upholstery for the upper lower leg (3D or EC cover depending on the fabric for the whole chair) Calf support bracket upholstery - pair - skai cover Angle limiter (for limitation of angle upwards) – mounted Foot fixation, pair incl. mounting kit Foot board, lockable and upwards swingable Footbox, upholstered with Skai cover (approved for car transport) Calf strap Bodypoint calf strap M Bodypoint calf strap L pport with fixed angle Netti Grandis leg supports with fixed angle for complex individual configurations. Reduces pressure and shear forces. For users with e.g. contractions, leg asymmetry. The foot support is characterized by unique ergonomics and user-friendliness due to scale displays and conical extension pieces. Adjustable in a fixed angle – also below 90°. Including heel strap. Extra Abduction (+50 mm), not for SW 430 mm Foot board, lockable and upwards swingable	







D82318 D82319	Adjustable for different thigh lengths: Standard adjustment piece 300 mm (lower leg length 450-550 mm) Adjustment piece 214 mm (lower leg length 350-450 mm)	
D45245	Reinforced automatic footboard lock - Not possible to combine with D82318/9 (extension bracket). With this lock the footboard is not angle adjustable, but this can be offered as special adaptation.	Price on request
D88211	Leg support upper parts with lever instead of star wheel for angle adjustment	80,-
	Bodypoint ankle huggers with upholstery D44863 S (L: 170-200 mm) D44864 M (L: 190-230 mm) D44865 L (L: 220-290 mm) D44904 XL (L: 280-330 mm)	213,- 213,- 223,- 244,-
D21081	Extra abduction for leg rests (+50 mm) not for SW 430 mm - adjustment of the calf supports will be limited	380,-
D21745	Calf support bracket upholstery - pair - skai cover	49,-
D41617	Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D86900	Bodypoint calf strap M	162,-
D86901	Bodypoint calf strap L	162,-

ARM SUPPORTS AND ACCESSORIES FOR ARM SUPPORTS

Standard	Arm supports height and depth adjustable, revolvable	0,-
Standard	Arm pads 385 x 58 mm	0,-
D41649	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	99,-
D23003	Hemiplegic cushion	196,-
D29459	Arm support hemiplegic left (not to be combined with a tray)	296,-
D29460	Arm support hemiplegic right (not to be combined with a tray)	296,-





NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN AND FRONT WHEELS

Standard 24 x 1" PU + 7" 175 x 33 PU 0,-







D22007	Main wheel 22 x 1" PU + front wheel 6" 150 x 30 PU	132,-
D21021	Front wheels: $7'' - 175 \times 45 \text{ PU}$ wheel - puncture proof - with PU infill (necessary for supportive engines)	79,-
M70315	Main wheels 12½" PU with drum brakes Please note! These wheels are delivered in an extra box and are to be mounted by the dealer.	345,-
M70316	Main wheels 16" PU with drum brakes Please note! These wheels are delivered in an extra box and are to be mounted by the dealer.	345,-
D22009	Hand and spoke protector - transparent, pair	138,-
D22013	Push rim cover, pair	112,-

HEAD SUPPORTS & ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)



	Α	В	С	D	E	F
D82025	Head support a	dapter aluminium				224,-
D82567	Head support A	with head band				323,-
D82746	If combined wit solutions are on	nead support C incl h other options, play possible as spec nation, feel free to	ease send us a	request, as s		Price on request
D27572	Head support D	, comfort (pressure	distributive)			224,-
D27577	Headrest E with	adjustable side su	pports			290,-
D27581	Headrest E with	shorter side suppo	ort right			370,-
D27582	Headrest E with	shorter side suppo	ort left			370,-
D27578	Headrest F with	cheek support				290,-
D21027	Headrest adjust	ment tube (horizoi	ntal) + 100 mn	n, length 250	mm	79,-
D21028	Headrest adjust	ment tube (horizoi	ntal) + 230 mr	n, length 380	mm	89,-
D21054	Headrest adjust	ment tube (vertica	l) + 100 mm, l	ength 500 mr	n	79,-
D23004	Comfort cushion	n for head rest type	e C – removab	le with Mars	cover	162,-
D23012	Easy Care cover	for head rest type	A, B, C – rem	ovable		79,-
D23013	3D cover for hea	ad rest type A, B, C	– removable			79,-
D23015	Grey head rest of	cushion with Mars	cover			214,-



D45370		[A] Savant head support incl. head	dband, small –	height 130 mm	Price on
	_	User forehead 460-560 mm		-	request
		User ½ circumference behind ears 150-18	30 mm		
		Inside distance along top support 300 mr	n, along middle s	upport 180 mm	







		(not approved for car transport – if this is needed please order an additional Netti	
		headrest)	
D45371		[A] Savant head support incl. headband, adult – height 150 mm	Price or reques
		User forehead 560-610 mm User ½ circumference behind ears 200-300 mm	reques
		Inside distance along top support 360 mm, along middle support 200 mm	
·		(not approved for car transport – if this is needed please order an additional Netti headrest)	
D45373		[B] Side pads for Savant head support. For extra lateral support.	Price o
		For the upper arms of the head support. Cannot be combined with the headband	reques
D45375		Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price o
D45368		[C] Axion head support rotary interface, permits a lateral rotation of 60°.	Price o
		Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	reques
D45376		Axion head support rotary interface, permits a lateral rotation of 90°.	Price o
		Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	reque
D89558		[C] Axion head support rotary interface, permits a lateral rotation of 60°.	Price o
		Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	reque
		Axion head support rotary interface, permits a lateral rotation of 90°.	Price o
D89559		, who is need support rotally internace, permits a faceral rotation of so .	
D89559		Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	reques
D89559 S (please a	lso see	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	
_	ilso see	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	reque
S (please a	ilso see	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1)	
S (please a D28826		Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable	reque:
S (please a D28826 D28828		Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable	242, 242,
S (please a D28826 D28828		Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable ORIES	242 242 106
S (please a D28826 D28828 DUS ACC D21087		Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable ORIES Clinic-kit (tools) for angle adjustable foot supports	242, 242, 106, 89,
S (please a D28826 D28828 DUS ACC D21087 D21239	CESSO	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable ORIES Clinic-kit (tools) for angle adjustable foot supports Tool kit	reque:
S (please a D28826 D28828 DUS ACC D21087 D21239 D42269	CESSO	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable ORIES Clinic-kit (tools) for angle adjustable foot supports Tool kit Wheelchair bag Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm	242, 242, 106, 89, 140,
S (please a D28826 D28828 DUS ACC D21087 D21239 D42269	CESSO	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable Clinic-kit (tools) for angle adjustable foot supports Tool kit Wheelchair bag Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm)	242 242 106 89 140 Price o
S (please a D28826 D28828 DUS ACC D21087 D21239 D42269	CESSO	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable Clinic-kit (tools) for angle adjustable foot supports Tool kit Wheelchair bag Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm) Max. capacity 6 kg	242, 242, 106, 89, 140, Price o
S (please a D28826 D28828 DUS ACC D21087 D21239 D42269	CESSO	Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest) page 1) Tray swingable Tray lockable Clinic-kit (tools) for angle adjustable foot supports Tool kit Wheelchair bag Universal device basket incl. frame extension D28001 SW 450: W: 405 mm, D: 305, H: 70 mm (for other seat widths please subtract or add from SW 450 mm)	242, 242, 106, 89, 140, Price o









BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit



Belts and accessories for back unit









		grand for of the
D86896	L (Shoulder width 410-480 mm)	
	Bodypoint Pivofit shoulder harness [E]	246,-
D89802	XS (Shoulder width 240-280 mm)	,
D89803	S (Shoulder width 380-330 mm)	
D86898	M (Shoulder width 330-410 mm)	
D86899	L (Shoulder width 410-480 mm)	
NETTI CUSTOMI	ZED	
Netti has many years concerning your indiv	of experience in developing customized solutions. Foodball vidual solution.	eel free to contact us for a quote
CUSTOM MADE	- most wanted special adapted items (pi	rice on request)
A	В	С
	Reinforced foot plates or foot board in aluminiun	n (A)
	Extra-long calf supports (please state length) (B)	
	Calf support upholstery in special length or mate	rial
	Back cushion with special side support (C)	
	Footboard that swings horizontally forwards	
	Sliding seat (for positioning and transfer)	
	Comfort seat plate	
	One hand brake (please state which side)	
	Seat width extension for SW 500 mm	
•	current case and how a possible solution could look.	
naterial, we would a	Iso like to see this. To offer the best solution, please	describe the user in the best
ossible way, e.g. sud	ch as any given diagnosis, user weight and/or the exa-	ct pattern movement of the user
Jser weight:		
		·








Please write the exact measurements and draw the wished solution for the requested accessories e.g. by using the drawings underneath.






Please inform us if there are any special circumstances in the living area that has an influence for the chair: e.g. the total possible width _____ mm and length ____ mm of the chair.

TECHNICAL DATA

Tilt (seat)	-5° to +20°
Recline (back)	92° to 137°
Total width of the wheelchair	Seatwidth + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm $(12'' + 16'' DB wheels)$
Total length	1020 mm with leg rests
Total height	1050 mm
Distance arm support to seatplate	Min. 265 mm / max. 355 mm
Weight of wheelchair	App. 30 kg (without cushions)
Frame colour	Grey
Cover variant	3D cover (optional Easy Care cover with D21022)
Crash test	ISO 7176-19 (CEDS: 130kg / CED: 136 kg)

Seat height – WITHOUT seat cushion (measured from floor to seat plate)




With wheel combination 22" + 6" the seat height 440 and 475 mm is possible.







Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm
Netti Grandis leg rests	360 mm	640 mm
Netti Grandis fixed leg rests	380 mm	550 mm



Measurements

A Hip width/Seat width ______mm

B Thigh length / seat depth _____mm

C Arm rest height _____mm

D Leg length / seat height _____mm

E Backrest height _____mm

F Trunk width _____mm

Please do not use any person specific data in this order form. We kindly ask you to use an anonymous order number to be able to connect the order or quote to a specific person. Thank you in advance.





