



Introduction

All Intercall products undertake rigorous testing to ensure they meet the standards of modern care environments. Our commitment to innovation through continuous research, development and improvement, has made Intercall the best-selling nurse call system in the UK.



Our Story

Engineering Innovation & Design

Our products are designed by healthcare professionals for healthcare professionals. Every Intercall system is the result of specialist knowledge and experience gained through over 25 years of research and development.





















Introducing

The Touch Series

The Touch Series is a UK manufactured and designed system, using hospital grade materials that house Intercall technical excellence. Stylish and simple to install, the Touch Series is supported by a sophisticated data-logging system giving access to care and performance information. With industry standard connectivity via TCP/IP and optional Radio Frequency Identification technology (RFID), the Touch Series is a modern nurse call system offering easy communication and management of patient care.

Product Range

Touch Display	11
Touch Display Plus	13
Call Point Basic	15
Call Point Standard	17
Call Point Plus	19
Access Point	21
Wearable Call Point	23
Pear Lead	25
Over Door Light	27
Bathroom Pull Cord	29
Corridor Display	31
Data Logging	33
Intercall Cloud	35
Our Networks	37
Intercall App	38

Touch Display

The heart of the Intercall Touch Series.

The Touch Display is the central hub of the Touch Series Nurse Call system. Ideally installed on a desk or wall mounted, the Touch Display is the primary call system staff interaction point. It helps nursing staff with monitoring while notifying them of calls and alerts on the system, allowing them to decide the most appropriate response.

Key Features





Audio-Visual

The visual call summary lists calls in order of priority and receipt. The user can easily configure a selection of sound alerts.



Locate Staff

Radio Frequency Identification technology (RFID) is used to identify staff and control user access. It also tracks staff location and actions.





Connectivity

With a PoE (Power over Ethernet) TCP/ IP connection, staff have the ability to contact users across the system. Staff performance indicators can be created via the on-board data logging feature.

Flexible Display

The Touch display has a user configurable colour palette, allowing the user to custom colour code call levels and priorities.

Technical Specification

H 156mm x W 202mm x D 41mm Weight: 560g Network: IEEE802.3af **Installation:** Surface Mount enclosure to UK/EU fixing

Product/Order Codes: 948



VoIP allows staff and patients to speak to each other with privacy. St Judes Nursing Home (8:36 02.01.2014 Cyintercall Full-colour touch screen Single or multiple display with simple, clear displays can be installed, iconography to help staff depending on the individual needs of the prioritise calls. care facility.

Touch Series

Touch Display Plus

The Touch Display Plus has all the functionality of our Touch Display, with the addition of a full duplex VoIP speech device.

Perfect for larger hospitals or care residences, the Touch Display Plus is the central hub of the Touch Series nurse call system. Ideally installed on a desk, the Touch Display Plus is the primary nurse call system staff interaction point. It helps nursing staff with monitoring while notifying them of calls and alerts on the system. The Touch Display Plus allows staff to speak to patients and residents through its VoIP intercom system, allowing them to decide the most appropriate response.

Key Features



Audio-Visual

The visual call summary lists calls in order of priority and receipt. The user can easily configure a selection of sound alerts.



VoIP Connectivity

With a PoE (Power over Ethernet) TCP/IP connection, staff have the ability to contact and speak to users across the system via the on board address book.



Locate Staff

Radio Frequency Identification technology (RFID) is used to identify staff and control user access. It also tracks staff location and actions.



Design

The Touch Display Plus, like all products in the Touch Series, has been designed using engaging soft forms, balancing technology with human engagement.

Technical Specification

H 156mm x W 202mm x D 41mm Weight: 560g (excluding stand and handset) Network: IEEE802.3af Installation: Desk Mount Stand supplied. Product/Order Codes: 958

Call Point Basic

The Call Point Basic is our entry-level call point and ideal for use in most care environments.

Its sleek, wall mounted design is simple to use. It is the perfect call assistance device for staff, patients or residents, whether positioned alongside the bed or in more general areas.

Key Features



Multiple Call Levels

Multiple programmable levels can be used to indicate the type of call and the care required.



Flexible Connectivity

Installed on the simple Intercall Bus network, it can act as a central hub allowing it to be tethered to remote devices.



Emergency Innovation

The Call Point Basic has a Code Blue option, in addition to the innovative double push emergency function.



/ Reassurance

A built-in call reassurance LED gives an immediate visual indication that help is on the way. A sound alert informs staff of an active call elsewhere on the system.

Technical Specification

H 106mm x W 96mm x D 24mm Weight: 120g Network: Intercall Bus Installation: Surface Mount enclosure to UK/EU fixing Product/Order Codes: 920






emergency function.



A 'Nurse Follower'
function, allows the carer
or nurse to communicate
their presence to
their colleagues while
reassuring the patient
that their call is being
handled.



Can be tethered to remote devices such as pull-cords, pressure mats and pear leads.



Call Point Standard

The Call Point Standard has the functionality of the Call Point Basic and much more.

Like the Call Point Basic, the Call Point Standard is ideal for use in most care environments. It's the perfect call assistance device for staff, patients or residents. Unlike the Call Point Basic, the Call Point Standard uses RFID technology (Radio Frequency Identification) to identify and track staff and it can be paired with our Wearable Call Point.

Key Features



Multiple Call Levels

Multiple programmable levels can be used to indicate the type of call and the care required.



Flexible Connectivity

Installed on the simple Intercall Bus network, it can act as a central hub, allowing it to be tethered to remote devices such as pull-cords and wearable call points.



Emergency Innovation

The Call Point Standard has a Code Blue option, in addition to the innovative double push emergency function.



Reassurance

A built-in call reassurance LED gives an immediate visual indication that help is on the way. A sound alert informs staff of an active call elsewhere on the system.

Technical Specification

H 106mm x W 96mm x D 24mm Weight: 125g Network: Intercall Bus

Installation: Surface Mount enclosure to UK/EU fixing

Product/Order Codes: 922

Call Point Plus

The Call Point Plus has all the functionality of our Call Point Standard, with the addition of a full duplex VoIP speech device.

Ideal for use in most care environments and simple to use, the Call Point Plus is our most advanced call assistance device. It allows staff, patients and residents to speak with each other through its VoIP intercom system, offering the instant reassurance of human interaction.

Key Features



Multiple Call Levels

Multiple programmable levels can be used to indicate the type of call and to indicate the care required. The 'Nurse Follower' function allows the carer to communicate their attendance.



Flexible Connectivity

The Call Point Plus is installed on a dedicated TCP/IP network. It's individually programmable via an embedded server and can act as a central hub, allowing it to be tethered to Intercall remote devices.



Enhanced Security

Radio Frequency Identification technology (RFID) identifies and tracks staff attendance helping keep staff and patients secure. The LCD display highlights active calls elsewhere on the system.



Reassurance

A built-in call reassurance LED gives an immediate visual indication that help is on the way. A sound alert informs staff of active calls elsewhere on the system.

Technical Specification

H 169mm x W 98mm x D 30mm Weight: 160g Network: IEEE802.38 Installation: Surface Mount enclosure to UK/EU fixing Product/Order Codes: 952





Access Point

The Access Point is a simple, cost effective, wireless ID security system.

Using Radio Frequency Identification technology (RFID), the Access Control Point allows hospitals and care facilities to control access to sensitive and restricted areas.

Key Features



Programmable Cards

ID cards can be programmed using individual staff identity information and printed with your facility's logo.



Security & Reassurance

The Access Control Point controls the door locking mechanism and raises an alarm on the call system should there be unauthorised access.



Restricted Access

With multiple programmable access levels, entry to sensitive areas can be managed, staff movement monitored and recorded on our data log system - allowing full accountability.



Flexible Connectivity

The Access Control Point is installed on the simple Intercall Bus network and is individually programmable via the Intercall device programming software.

Technical Specification

H 106mm x W 96mm x D 24mm Weight: 110g Network: Intercall Bus Installation: Surface Mount enclosure to UK/EU fixing

Product/Order Codes: 924

Wearable Call Point

The Wearable Call Point is a stylish portable call device that's ideal for both care home residents and assisted living inhabitants.

Its lightweight, comfortable design allows users to get on with day-to-day living safe in the knowledge that help is close at hand. Based on a wristwatch design, it's perfect for raising an alarm when assistance is required, wherever the user may be.

Key Features



<u>User Friendly</u> and Hygienic

Designed specifically for the frailer user, its simple operating interface is straightforward and easy to use. Being water resistant, it's ideal for cleaning and outdoor use, and has a long life battery, keeping maintenance to a minimum.



Reassuring

The user is free to enjoy life, safe in the knowledge that help is never far away 24/7. It features a built-in call reassurance LED, which gives the patient or resident an immediate indication that help is on the way.

Technical Specification

H 49mm x W 49mm x D 16mm (face only) Weight: 40g Operational Frequency: 863-870 MHz Battery: 3v Li Ingress Protection Marking: IP54 Product/Order Codes: 982





Pear Lead

The Pear Lead is a simple, individual call device for use in care facilities by less mobile patients.

Key Features





Simplicity

The Pear Lead's simple individual call button is connected to a Call Point, allowing staff to see the precise location of the call.



reassurance LED, which gives the patien an immediate visual indication that help is on the way.





Hygienic

Being water resistant and manufactured from hospital grade material, it's ideal fo cleaning and hygiene

Twin Light Control

An alternative handset will be available with twin light control to allow patients to control their own bedside lighting.

Technical Specification

H 49mm x W 49mm x D 16mm (face only) Weight: 25g Ingress Protection Marking: IP54 Connection: RJ10 Product/Order Codes: 972

Over Door Light

The Over Door Light provides an instant visual aid to nursing staff for alerts and calls from patient rooms.

Located outside patient rooms and along corridors, the Over Door Light provides a clear visual status of an alert as well as improving awareness of the alert.

Key Features



Programmable

Programmable options include light call patterns and use of multi-colour high intensity LEDs to indicate call status and priority.



Priority

The Over Door Light is used to mimic the call event that is happening in a room. The lights can be paired to multiple call points to indicate the highest active call, e.g. an emergency call.


Technical Specification

H 106mm x W 97mm x D 44mm Weight: 120g Network: Intercall Bus/IEEE802.3af Installation: Surface Mount enclosure to UK/EU fixing Product/Order Codes: 926/946









Bathroom Pull Cord

The Bathroom Pull Cord is ideal for hospitals, care homes and assisted living residences.

The Pull Cord is paired to a central call point, providing the call address and reset function. There are several levels of call, from a standard 'toilet call' through to 'emergency'. All devices are fully programmable to meet individual care requirements.

Key Features





Reassurance Indicator

The Pull Cord features a built-in call reassurance LED, which gives the patient an immediate visual indication that help is on the way.

Adjustable Cord Length

Often located in a toilet or bathroom, the pull cord has two adjustable loops for setting the pull cord height at different levels – typically at toilet seat height and floor level.

Technical Specification

H 100mm x W 100mm D 38mm Weight: 90g (not including handle or string)

Antibacterial efficacy: ISO 222196:2011 Installation: Ceiling Mount surface enclosure.

Product/Order Codes: 973


Corridor Display

The Corridor Display is an advanced information call system that is ideal for hospitals or large care facilities.

The metre wide information panel can be wall or ceiling mounted in corridors to provide a guick, clear call indicator to busy nursing staff.

Key Features





The metre wide, 3-colour dot matrix display is designed to be clearly visible from a distance of at least 10 metres.

Clear Visual Display



Bespoke Display

The Corridor Displays are individually programmable via a web embedded server, allowing the hospital and staff to adapt the alerts to support internal procedures.



Audio Alarm

The Corridor Display comes with programmable sounds for establishing recognisable alarms and call alerts.



Flexible Connectivity

The Corridor Display is installed on a dedicated TCP/IP network, and is individually programmable via its own embedded server.

Technical Specification

 $H105mm \times W 1050mm \times D 32mm$ (without brackets)

Network: IEEE802.3 af **Installation:** Wall/Ceiling Mounted Brackets supplied for single sided display.

Product/Order Codes: IP480









Data Logging

Intercall data log - record, report, reassure.

Intercall has developed a data log system that automatically records all calls, alerts and responses. With the capacity to log over 100 million events, the Intercall data log is an indispensible management tool for modern care providers. It can alert staff to emergencies and urgent call activity, while it enables care managers to evaluate the number of calls, types of calls and response times to help make informed staffing level decisions. It can also be used to demonstrate accountability to patients and their families, giving them reassurance that the care they are provided with is at the highest level.

Basic System

A basic data log facility comes as standard with all Intercall systems, and can be accessed via a standard browser.

Enhanced System: Analysis and Reporting

The enhanced data log system has the ability to produce both standard graphic reports and customised reports. Data can be accessed in two ways:

- 1. Using Windows-based Call Management software.
- 2. Remotely via the Intercall Cloud based service.

Graphical charts and reports can be created to give and share intelligence with management teams and staff, allowing them to identify issues and trends within their facility.

Intercall Cloud


Intercall Cloud keeps you in touch with your nursing staff and patients, anytime, anywhere.

The Intercall Cloud service uses the power of the web to allow secure remote access to Intercall systems. Suitable for both larger hospitals and care providers with multiple sites or smaller single care homes, the Intercall Cloud gathers and collates your data into one single access point.

All nurse call data is captured and stored safely within the Cloud. This allows secure access anywhere in the world via computer, tablet or phone and keeps you in touch with the latest activity and performance of your facility's systems 24 hours a day. By logging into your own secure account you can instantly review real time reports and monitor the performance of individual sites. Reports can be emailed directly from the system to individual recipients. Any issues can be spotted and dealt with immediately from anywhere in the world.

Data security is paramount, which is why all data is encrypted and password protected ensuring a secure connection. What's more, Intercall Cloud's compatibility means it can be retro fitted into existing systems, helping keep costs to a minimum.

The cloud can be accessed anywhere in the world remotely.







VPN connection created by
the clients IT department
allows connection between
head office and the individual



Monitor call system actively from a remote location.





Contact

Interested in any of our products?

Intercall is known for its great people, their dedicated customer service and knowledgeable support. If we can help you specify a new Nurse call system, or just give you support and advice on an existing system, please get in touch – we'd love to hear from you.

Important numbers

Our client service team is based at our Head Office in England. Below are some numbers you may find useful. There will always be someone available to speak to you during UK business hours, so please give us a call.







International Sales +44 1403713240

For any other questions please visit us online:

www.intercall.co.uk

or use our online contact form:

www.intercall.co.uk/contact





Printed by Park Lane Press on FSC certified, 100% postconsumer content paper, using fully sustainable, vegetable oil-based inks, power from 100% renewable resources and waterless printing technology. Print production systems registered to ISO 14001: 2004, ISO 9001: 2008 and EMAS standards and over 95% of waste is recycled.