

# Nova 500 NG-Nova StandUp

The ideal solution for sit-to-stand hoisting

**oetac**®

## Nova 500 NG

### The ideal solution for sit-to-stand hoisting

Nova 500 NG sit-to-stand hoist is intended for a user with some weight bearing capacity. The hoist is excellent to use for transfer to and from a toilet. It's low height makes it easy for users to place their feet onto the footplate and the centre of gravity is optimised to provide stability. A large lifting span allows it to be used by both children and adults.






#### Easy to manoeuvre

Nova 500 NG is a compact hoist with a small footprint which facilitates turning in narrow spaces. The big wheels roll easily when moving which provide excellent manoeuvrability for the caregiver. Altogether it contributes to smooth and more comfortable transfers for the user.

Description Nova 500 NG:	Item no.	\
100 mm wheel 75 mm wheel	16030201 16030203	Chassis: Powder-coated steel Motor/ electrical box safety class: IPX4
Lifting range from floor:	62-169,5 cm (24,4- 66,7")	Hand control/battery safety class: IPX4
Width of wheelbase:	63-90 external (24,8- 90") 1-78 internal (20,1-30,7")	Compliant with: ISO 10535 EN 60601-1
Height of wheelbase:	14,5 cm (5,7"), wheel 100 mm (3,9") 11,5 cm (4,5"), wheel 75 mm (2,9")	EN 60601-1-2 EN 60068-2-32 MDD 93/42/EEC
Length of wheelbase:	2,5 cm (36,4")	Total lifts:
Height at centre of lower leg support, above the footrest:	34-44 cm (13,4-17,2")	Approx. 80 lifts at 80 kg/176 lbs load
Maximum range:	approx. 69 cm (27,2")	<b>Weight:</b> Max. users weight: 180 kg/397 lbs Total weight: 49 kg/108 lbs
Turning radius:	approx. 110 cm (43,3")	(E)



#### **Features**



#### Electric adjustable legs

Electric adjustment of the legs allows positioning closer to the chair, wheelchair or the toilet, and provides more stable lifting.



#### Adjustable leg support

The soft padded lower leg support is easy to adjust in height and depth.



#### Low-level footplate

The horizontal footplate gives easier access for positioning the feet. The footplate can be easily removed if necessary.



#### Clear display

Clear Display with simple management of lifting and adjustment of legs.





#### **Nova Cross Bar Attachment**

The cross bar attachment enables a lower and a more narrow attachment point for the sling which provides a more natural lifting angle, especially for smaller users.

26901 Item. no.



#### Non slip

A non-slip footprint on the footplate prevents the feet from slipping and enables correct positioning. 81766

Item. no.

#### Nova StandUp sling

Nova StandUp sling is very easy to apply and has a minimal need for adjustments. Nova StandUp sling distributes weight over the back and provides a comfortable support for the user through the entire sit-to-stand movement. Moreover the sling's belt is equipped with a belt which has an antislip surface on the inside for increased security and comfort.

Description	Item no.
-	
Nova StandUp XS	1722010
Nova StandUp S	1722020
Nova StandUp M	1722030
Nova StandUp L	1722040
Nova StandUp XL	1722050
Nova StandUp XXL	1722060



#### Accessories



FlexiStrap

Provides extra support during the initial part of the raising.

Item no. 1723310



Soft Padding for Nova Stand-up sling

Extra soft material for users who are sensitive to pressure.

Item no.
Size XS-M, 2 pcs 1722100
Size L-XXL, 2 pcs 1722110



"Everyone should be able to live a free and independent life and pursue their dreams regardless of any physical circumstances."

Unit D4A, Coombswood Business Park East Coombswood Way, Halesowen West Midlands B62 8BH | England Tel. 0121 561 2222 Fax. 0121 559 5437 enquiries@etac.uk.r82.com www.etac.uk.r82.com www.etac.com/etac-uk



Etac AB Kista Science Tower SE-164 51 Kista, Sweden info@etac.se www.etac.com