





	Date		Customer code C Contact person		
	Invoi	ce address			
			Reference		
J. J.			Other delivery address		
0	Ir	nvoice address = delivery address	Quote		
	Т	he chair will be used as seat for car	transport.		
			Basic price 2.250,- €	Excl. VAT	
Seat width	D64035	350 mm	Capacity Max. 135 kg		
	D64040	400 mm	Seat height See page 6		
	D64045	450 mm	Seat depth 425-500 mm adj	•	
	D64050	500 mm	25 mm per step (optional 379 D64000)	5-450 mm with	
	D28002	Seat depth adjustment (Std: 500		=======================================	
	D64000	Short version CES+ (incl. 22" + 6	" wheel)	279,- €	
	D28002 [Seat depth adjustment (Std: 450	mm) 375 mm 400 mm	425 mm 59,-€	
	D22154	Side upholstery for armrest (redu	uces SW with 2 x 20 mm)	139,- €	
	D80913	Seat width extension kit (extende	s SW with 2 or 40 mm)	67,- €	
= Standa	rd equipme	ent			
Quick orde	er		only page 1	L is send	
Item	n	Description		Price in €	
Stan	ndard 🔳	Head support A, with side support	•	0,-	
D26	574	Head support B, oval		0,-	
D26	573	Head rest C, square		0,-	
D26	576	Head support D, comfort (pressure	e distributive)	224,-	
D82	567	Head support A with head band		323,-	
D64	085	Drum brakes with quick release		229,-	
D25	059	Universal tray		195,-	
D21	052	Upholstery for tray		113,-	
D86	145	Side support Basic, pair		348,-	
D20	845	Hip belt, with upholstery and car be	pelt lock	107,-	







D21122	3D cover for the complete chair	167,-
D21075	D21075 Recommended configuration for car transportation for users higher 185 cm (incl. back height 600 mm, 500 mm vertical tube and headres adapter in aluminium)	
CCESSORY PA	ACKAGES	
D64080	☐ Drum brakes + universal tray	273,-
D64081	Drum brakes + universal tray + hip belt	397,-
D64082	Drum brakes + universal tray + side support Basic	626,-
D64083	Drum brakes + universal tray + side support Basic + hip belt	687,-
D64084	Drum brakes + side support Basic	477,-
D64086	Universal tray + side support Basic	387,-
	Universal tray + side support Basic + hip belt	487,-

Standard III	Push handles 300 mm	0,-
Standard Standard	Anti tip – swingable	0,-
Standard Standard	User brakes, brake handle can be folded forward	0,-
D86099	Brake lever extension +70 mm (length 200 mm) to be mounted by dealer	159,-
D81740	Push bow, height and angle adjustable	338,-
D28972	Anti tip with pedal, pair	186,-
D41074	Car fastener system, pair	158,-
D29474	Tilt restrictor (no negative tilt forward)	41,-
D28001	Frame extension including longer antitippers	275,-

BACK UNIT (please also see page 1 for belts please see page 5)

Standard 🔳	Back cushion Netti Uno - with 100 mm side support -	0,-
	Easy Care cover	
Standard 📕	Back height 500 mm (incl. one piece fabric back)	0,-
D21137	Adjustable velcro back (mounting through local dealer)	259,-
D21138	Adjustable velcro with cut for side supports (mounting through local dealer)	283,-
D41006	Back height 600 mm (incl. back extender and longer Netti Smart cushion as standard)	294,-
D21338	Back cushion Netti Smart – with 120 mm side support - Easy Care cover	306,-
D27375	Side support correction right – for Netti Uno and Smart	193,-
D27374	Side support correction left – for Netti Uno and Smart	193,-
D27542	Side support upholstery for correction support, pair	98,-







D21335	Back cushion Netti Stabil – with 170 mm side support - Easy Care cover	497,-
D21336	Back cushion Netti Super Stabil – with 170 mm reinforced side support - Easy Care cover	579,-
D20630	Back cushion Netti Kyphotic – 3D/Mars cover – only in combination with D21137 and for back height 500 mm	667,-
	Ride Designs Back solution (See separate order form) Article number: / Accessories:	
D26831	Side support Stable left – for Netti Stabil, Super Stabil & Kyphotic	219,-
D26844	Side support Stable right – for Netti Stabil, Super Stabil & Kyphotic	219,-
D27541	Side support upholstery Stable, pair	134,-
	Libertas 15° back flexibility incl. long anti tips and frame extender	Price on request
	(not for transport in car) D82411 80N D82412 120N D82413 160N	







NEW:

Advanced seating and positioning management: Ride Designs – solutions (seat and back) for an even more stable posture, even more mobility/ functionality and an immense improved skin protection (decubitus prophylaxis). Please see separate order form.

SEAT UNIT (please also see page 1/ for belts please see page 5)

Standard	Seat cushion Netti Uno with Easy Care cover	0,-
D21048	Incontinence cover for seat cushion	212,-
D21777	Pressure relief seat cushion Netti Sit with Easy Care cover	356,-
D21017	Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	497,-
	Ride Designs Seat cushion (See separate order form) Article number: / Accessories:	
D27493	Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	235,-
 D27494	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	235,-
D27495	Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	235,-
	<u> </u>	

LEG SUPPORTS







For the Netti 4U CE Plus you have 2 different types of leg supports with various accessories. Please contact us for consultation.

Manually angle ad			
Standard	•	Manually angle adjustable leg supports with -automatic length adjustment -angle adjustable foot plates -calf supports and knee upholstery	0,-
D88211		Leg support upper parts with lever instead of star wheel for angle adjustment	80,-
-		Bodypoint ankle huggers with upholstery	
	□	D44863 S (L: 170-200 mm)	213,-
13/1		D44864 M (L: 190-230 mm)	213,-
4 1 4		D44865 L (L: 220-290 mm)	223,-
		D44904 XL (L: 280-330 mm)	244,-
D21745		Calf support bracket upholstery - pair - skai cover	49,-
D41617		Calf support upholstery extra soft - pair - EC or 3D cover depending on the fabric for the whole chair	190,-
D23014		Footfixation	132,-
D28453		Foot plate upholstery - pair - skai cover	269,-
Iniversal leg suppo	orts		
D24005		Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	117,-
		Bodypoint ankle huggers with upholstery incl. mounting kit	
		D44863 S (L: 170-200 mm)	213,-
		D44864 M (L: 190-230 mm)	213,-
474		D44865 L (L: 220-290 mm)	223,-
		D44904 XL (L: 280-330 mm)	244,-
D23014	П	Footfixation	132,-

Standard Standard	Removable arm rests, height and depth adjustable	0,-
Standard 	Arm pads 385 x 58 mm	0,-
D41649	Arm pad upholstery extra soft, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	99,-
D21077	Arm pads 420 x 80 mm	112,-
D41650	Arm pad upholstery extra soft for D21077, EC or 3D cover depending on the fabric for the whole chair (not to be combined with a tray)	123,-







D23003	Hemiplegic cushion	196,-
D22185	Arm support hemiplegic, left (not to be combined with a tray)	296,-
D22186	Arm support hemiplegic, right (not to be combined with a tray)	296,-
D23001	Lock for arm support (mounting through local dealer)	72,-





NEW:

Push rim controlled drive unit and easy propulsion with joystick or attendant control – order directly by Netti together with the requested comfort wheelchair. Please use separate order form

MAIN WHEELS

tandard		
tandard 🔃	Main wheels 24 x 1" PU, galvanized with quick release	0,-
22007	Main wheels 22 x 1" PU incl. 6" front wheels	132,-
70315	Main wheels 12½" PU with drum brakes (Please note! These wheels are delivered in an extra box and are to be mounted by the dealer)	345,-
170316	Main wheels 16" PU with drum brakes (Please note! These wheels are delivered in an extra box and are to be mounted by the dealer)	345,-
22009	Hand- and spoke protector, pair	138,-
22013	Push rim cover, pair	112,-
,	22007	Main wheels 22 x 1" PU incl. 6" front wheels Main wheels 12½" PU with drum brakes (Please note! These wheels are delivered in an extra box and are to be mounted by the dealer) Main wheels 16" PU with drum brakes (Please note! These wheels are delivered in an extra box and are to be mounted by the dealer) Hand- and spoke protector, pair

FRONT WHEELS

Standard III	Front wheels: 7" -175 x 33 PU	0,-
D21021	Front wheels: 7" – 175 x 45 PU wheel - puncture proof -	79,-
	with PU infill (necessary for supportive engines)	

HEAD SUPPORTS AND ACCESSORIES FOR HEAD SUPPORTS (please also see page 1)

D82025	Headrest adapter aluminium	224,-
D27577	Headrest E with adjustable side supports	290,-
D27581	Headrest E with shorter side support right	370,-
D27582	Headrest E with shorter side support left	370,-
D27578	Headrest F with cheek support	290,-
D23004	Comfort cushion for head rest type C – removable with Mars	162,-
	cover	
D23012	Easy Care cover for head rest type A, B, C – removable	79,-
D23013	3D cover for head rest type A, B, C – removable	79,-
D23015	Grey head rest cushion with Mars cover	214,-
D21027	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm	79,-







D21028		Headrest adjustment tube (horizontal) + 230 mm, length 380 mm	89,-	
D21054		Headrest adjustment tube (vertical) + 100 mm, length 500 mm	79,	
		[A] [B] [C]		
D45370		[A] Savant head support incl. headband, small – height 130 mm User forehead 460-560 mm User ½ circumference behind ears 150-180 mm Inside distance along top support 300 mm, along middle support 180 mm (not approved for car transport – if this is needed please order an additional Netti headrest)	Price or reques	
D45371	_	[A] Savant head support incl. headband, adult – height 150 mm User forehead 560-610 mm User ½ circumference behind ears 200-300 mm Inside distance along top support 360 mm, along middle support 200 mm (not approved for car transport – if this is needed please order an additional Netti headrest)		
D45373		[B] Side pads for Savant head support. For extra lateral support. For the upper arms of the head support. Cannot be combined with the headband	Price or reques	
D45375		Headrest adjustment tube (horizontal) +100 mm, length 250 mm	Price o	
D45368		[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)		
D45376		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Savant headrests. (not approved for car transport – if this is needed please order an additional Netti headrest)	Price o reques	
D89558	_	[C] Axion head support rotary interface, permits a lateral rotation of 60°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price o reques	
D89559		Axion head support rotary interface, permits a lateral rotation of 90°. Only for Netti headrests. (not approved for car transport – if this is needed please order an additional standard Netti headrest)	Price or reques	
RAYS (please also see pa	nge 1)			
D21050		Tray reinforced	356,	
D24001		Tray swingable	242,	
D24002		Tray lockable	242,	







VARIOUS ACCESSORIES

D21239	Tool kit	89,-
D42269	Wheelchair bag	140,-
D41987	Intravenous rack	298,-

BELT OPTIONS FROM BODYPOINT AND NETTI

Belts and accessories for seat unit [F] [B] [C] [D] D86282 Belt bracket kit – seat [A] 98,-D20845 Hip belt, with upholstery and car belt lock [B] 107,-Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit [C] 252,-D86902 XS (overall pad length: 380 mm) D86891 M (overall pad length: 460 mm) D86892 L (overall pad length: 620 mm) Bodypoint 2-point hip belt incl. mouting kit 225,-XS (overall pad length: 360 mm) D45273 M (overall pad length: 400 mm) D45274 D45275 L (overall pad length: 460 mm) D45040 Security cover for type [C], [D] and [F] in XS/M/L 58,-Bodypoint 4-point pelvic stabiliser incl. mounting kit [D] 380,-D86889 XS (Gesamtlänge der Gurtpolsterung: 360 mm) D86893 M (overall pad length: 460 mm) D86894 L (overall pad length: 620 mm) D60001 Abduction belt [E] 497,-Bodypoint supportive universal elastic strap 170,-S (Height 80 mm - 1420 mm long, easily cut-to-length) D45084 D45085 L (Height 110 mm - 1420 mm long, easily cut-to-length) XL (Height 150 mm - 1420 mm long, easily cut-to-length) D45086







Belts and accessories for seat unit



L (Shoulder width 410-480 mm)

TECHNICAL DATA

D86896


Tilt (seat)	-5° to +20°	
Recline (back)	90° to 135°	
Total width of the wheelchair	Seatwidth + 180 mm (std. wheels)/ + 195 mm (DB wheels) / +170 mm (12" + 16" DB wheels)	
Total length	1020 mm with leg rests	
Total height	1050 mm	
Distance arm support to seatplate	Min. 270 mm/ max. 360 mm	
Weight of wheelchair	App. 29 kg (without cushions)	
Frame colour	Silver	
Cover variant	Easy Care (optional 3D cover with D21122)	
Crash test	ISO 7176-19 (135 kg)	








Seat height – WITHOUT seat cushion (measured from floor to seat plate)



With wheel combination 22" + 6" the seat height 440 and 475 mm is possible.

Leg rest type	Min. calf length	Max. calf length
Manual adjustable leg rests	320 mm	680 mm
Universal leg rests	360 mm	500 mm



Measurements

A Hip width/Seat width	mm
B Thigh length / seat depth	mm
C Arm rest height	mm
D Leg length / seat height	mm
E Backrest height	mm
F Trunk width	mm

Please do not use any person specific data in this order form. We kindly ask you to use an anonymous order number to be able to connect the order or quote to a specific person. Thank you in advance.